



CATALOGO 2016



Distribuito da :

WINSHOOT s.r.l.

Via Garibaldi, 56 - 25082 Botticino - BS - ITALIA

Tel. e Fax +39 030 675883

e-mail : info@winshoot.it

web : www.winshoot.it



*****	478.010	LUNGHEZZA	39	mm	da 0,10	Steel Shot
****	478.025	"	56	"	da 0,25	Steel Shot
***	478.050	"	73	"	da 0,50	Steel Shot
**	478.075	"	90	"	da 0,75	Steel Shot
*	478.100	"	107	"	da 1,00	Steel Shot
XF	478.120	"	143	"	da 1,20	Steel Shot



478.R LUNGHEZZA **105** mm **RIFLED** Only Lead



490
COPRIFILETTO



482
ADATTATORE



487
CHIAVE



****	488.000	LUNGHEZZA	38	mm	da 0,25	Steel Shot
***	488.035	"	63	"	da 0,50	Steel Shot
**	488.070	"	88	"	da 0,75	Steel Shot
*	488.100	"	105	"	da 1,00	Steel Shot



489
COPRIFILETTO



491
ADATTATORE



492
CHIAVE



*****	480.4.01	LUNGHEZZA	39	mm	da 0,10	Steel Shot
****	480.7.02	"	70	"	da 0,25	Steel Shot
***	480.7.05	"	"	"	da 0,50	Steel Shot
**	480.7.07	"	"	"	da 0,75	Steel Shot
*	480.7.10	"	"	"	da 1,00	Steel Shot



***	480.050	LUNGHEZZA	120	mm	da 0,50	Steel Shot
**	480.075	"	"	"	da 0,75	Steel Shot
*	480.100	"	"	"	da 1,00	Steel Shot



XF	480.120	LUNGHEZZA	170	mm	da 1,20	Only Lead
----	---------	-----------	-----	----	---------	-----------



480.R	LUNGHEZZA	105	mm	RIFLED	Only Lead
-------	-----------	-----	----	--------	-----------



490.F
COPRIFILETTO



482.F
ADATTATORE



487.F
CHIAVE



CAL.12 - MOBILCHOKE - **BERETTA - BENELLI - BRED - BERNARDELLI -**

FRANCHI - BETTINSOLI - CHAPUIS ARMES - STOEGER - MOSSBERG - LEGACY - STEVENS -

SMITH & WESSON - CHARLES DAY - TRADITIONS - TRI STAR - LAURONA ZABALA - HUGLU

BLACK DIAMOND - CENTURY ARMS - HATSAN - ATA ARMS - CZ USA



SK	479.SK	FLUSH	50	mm	da -0,30	Steel Shot
*****	479.010	"	"	"	da 0,10	Steel Shot
****	479.025	"	"	"	da 0,25	Steel Shot
***	479.050	"	"	"	da 0,50	Steel Shot
**	479.075	"	"	"	da 0,75	Only Lead
*	479.100	"	"	"	da 1,00	Only Lead
XF	479.120	"	"	"	da 1,20	Only Lead



SK2	200.SK	PORTED	71	mm	da -0,30	Steel Shot
C *****	200.010	"	"	"	da 0,00	Steel Shot
SK1	200.015	"	"	"	da 0,15	Steel Shot
IC ****	200.025	"	"	"	da 0,25	Steel Shot
LM	200.038	"	"	"	da 0,38	Steel Shot
M ***	200.050	"	"	"	da 0,50	Steel Shot
IM **	200.075	"	"	"	da 0,63	Only Lead
LF	200.090	"	"	"	da 0,76	Only Lead
F *	200.100	"	"	"	da 0,89	Only Lead
XF	200.120	"	"	"	da 1,02	Only Lead



SK2	202.SK	EXTENDED	71	mm	da -0,30	Steel Shot
C *****	202.010	"	"	"	da 0,00	Steel Shot
SK1	202.015	"	"	"	da 0,15	Steel Shot
IC ****	202.025	"	"	"	da 0,25	Steel Shot
LM	202.038	"	"	"	da 0,38	Steel Shot
M ***	202.050	"	"	"	da 0,50	Steel Shot
IM **	202.075	"	"	"	da 0,63	Steel Shot
LF	202.090	"	"	"	da 0,76	Steel Shot
F *	202.100	"	"	"	da 0,89	Steel Shot
XF	202.120	"	"	"	da 1,02	Only Lead



****	501.025	IN/OUT + 55	105	mm	da 0,25	Steel Shot
***	501.050	"	"	"	da 0,50	Steel Shot
**	501.075	"	"	"	da 0,75	Steel Shot
*	501.100	"	"	"	da 1,00	Steel Shot
XF	501.120	"	"	"	da 1,20	Steel Shot



***	515.050	IN/OUT + 100	150	mm	da 0,50	Steel Shot
**	515.075	"	"	"	da 0,75	Steel Shot
*	515.100	"	"	"	da 1,00	Steel Shot
XF	515.120	"	"	"	da 1,20	Steel Shot



501.J	EXTENSION	105	mm
515.J	"	150	mm



500.R	RIFLED	71	mm	Only Lead
-------	--------	----	----	-----------

	SK	300.SK	FLUSH	70	mm	Ø 18,70	Steel Shot
		300.185	"	"	"	Ø 18,50	Steel Shot
	C *****	300.184	"	"	"	Ø 18,40	Steel Shot
		300.183	"	"	"	Ø 18,30	Steel Shot
		300.182	"	"	"	Ø 18,20	Steel Shot
	IC ****	300.181	"	"	"	Ø 18,10	Steel Shot
		300.180	"	"	"	Ø 18,00	Steel Shot
	M ***	300.179	"	"	"	Ø 17,90	Steel Shot
		300.178	"	"	"	Ø 17,80	Only Lead
	IM **	300.177	"	"	"	Ø 17,70	Only Lead
		300.176	"	"	"	Ø 17,60	Only Lead
		300.175	"	"	"	Ø 17,50	Only Lead
	F *	300.174	"	"	"	Ø 17,40	Only Lead
	XF	300.173	"	"	"	Ø 17,30	Only Lead



SK	309.SK	PORTED	91	mm	da -0,30	Steel Shot
*****	309.010	"	"	"	da 0,10	Steel Shot
****	309.025	"	"	"	da 0,25	Steel Shot
***	309.050	"	"	"	da 0,50	Steel Shot
**	309.075	"	"	"	da 0,75	Only Lead
*	309.100	"	"	"	da 1,00	Only Lead
XF	309.120	"	"	"	da 1,20	Only Lead



SK	302.SK	EXTENDED	91	mm	da -0,30	Steel Shot
*****	302.010	"	"	"	da 0,10	Steel Shot
****	302.025	"	"	"	da 0,25	Steel Shot
***	302.050	"	"	"	da 0,50	Steel Shot
**	302.075	"	"	"	da 0,75	Steel Shot
*	302.100	"	"	"	da 1,00	Steel Shot
XF	302.120	"	"	"	da 1,20	Only Lead



***	312.050	IN/OUT + 55	125	mm	da 0,50	Steel Shot
**	312.075	"	"	"	da 0,75	Steel Shot
*	312.100	"	"	"	da 1,00	Steel Shot



***	317.050	IN/OUT + 100	170	mm	da 0,50	Steel Shot
**	317.075	"	"	"	da 0,75	Steel Shot
*	317.100	"	"	"	da 1,00	Steel Shot



317.J EXTENSION 170 mm



300.R RIFLED 91 mm Only Lead

	SK	PBO-F-SK	FLUSH	70	mm	Ø 18,90	Steel Shot
		PBO-F-187	"	"	"	Ø 18,70	Steel Shot
	C *****	PBO-F-186	"	"	"	Ø 18,60	Steel Shot
		PBO-F-185	"	"	"	Ø 18,50	Steel Shot
		PBO-F-184	"	"	"	Ø 18,40	Steel Shot
	IC *****	PBO-F-183	"	"	"	Ø 18,30	Steel Shot
		PBO-F-182	"	"	"	Ø 18,20	Steel Shot
	M ***	PBO-F-181	"	"	"	Ø 18,10	Steel Shot
		PBO-F-180	"	"	"	Ø 18,00	Only Lead
	IM **	PBO-F-179	"	"	"	Ø 17,90	Only Lead
		PBO-F-178	"	"	"	Ø 17,80	Only Lead
		PBO-F-177	"	"	"	Ø 17,70	Only Lead
	F *	PBO-F-176	"	"	"	Ø 17,60	Only Lead
	XF	PBO-F-175	"	"	"	Ø 17,50	Only Lead

	SK2	PBO-P-SK2	PORTED	91	mm	da -0,30	Steel Shot
	*****	PBO-P-C	"	"	"	da 0,00	Steel Shot
	SK1	PBO-P-SK1	"	"	"	da 0,13	Steel Shot
	*****	PBO-P-IC	"	"	"	da 0,25	Steel Shot
	LM	PBO-P-LM	"	"	"	da 0,38	Steel Shot
	***	PBO-P-M	"	"	"	da 0,50	Steel Shot
	**	PBO-P-IM	"	"	"	da 0,63	Only Lead
	LF	PBO-P-LF	"	"	"	da 0,76	Only Lead
	*	PBO-P-F	"	"	"	da 0,89	Only Lead
	XF	PBO-P-XF	"	"	"	da 1,02	Only Lead

	SK2	PBO-E2-SK2	EXTENDED	91	mm	da -0,30	Steel Shot
	*****	PBO-E2-C	"	"	"	da 0,00	Steel Shot
	SK1	PBO-E2-SK1	"	"	"	da 0,13	Steel Shot
	*****	PBO-E2-IC	"	"	"	da 0,25	Steel Shot
	LM	PBO-E2-LM	"	"	"	da 0,38	Steel Shot
	***	PBO-E2-M	"	"	"	da 0,50	Steel Shot
	**	PBO-E2-IM	"	"	"	da 0,63	Steel Shot
	LF	PBO-E2-LF	"	"	"	da 0,76	Steel Shot
	*	PBO-E2-F	"	"	"	da 0,89	Steel Shot
	XF	PBO-E2-XF	"	"	"	da 1,02	Only Lead



****	PBO-E5-IC	IN/OUT + 55	125	mm	da 0,25	Steel Shot
***	PBO-E5-M	"	"	"	da 0,50	Steel Shot
**	PBO-E5-IM	"	"	"	da 0,75	Steel Shot
*	PBO-E5-F	"	"	"	da 1,00	Steel Shot
XF	PBO-E5-XF	"	"	"	da 1,20	Steel Shot



PBO.J EXTENSION 170 mm



300.R RIFLED 91 mm Only Lead



SK	PBOG-P-SK	PORTED	91	mm	da -0,30	Steel Shot
*****	PBOG-P-C	"	"	"	da 0,10	Steel Shot
****	PBOG-P-IC	"	"	"	da 0,25	Steel Shot
***	PBOG-P-M	"	"	"	da 0,50	Steel Shot
**	PBOG-P-IM	"	"	"	da 0,75	Only Lead
*	PBOG-P-F	"	"	"	da 1,00	Only Lead



SK	PBOG-E2-SK	EXTENDED	91	mm	da -0,30	Steel Shot
*****	PBOG-E2-C	"	"	"	da 0,10	Steel Shot
****	PBOG-E2-IC	"	"	"	da 0,25	Steel Shot
***	PBOG-E2-M	"	"	"	da 0,50	Steel Shot
**	PBOG-E2-IM	"	"	"	da 0,75	Steel Shot
*	PBOG-E2-F	"	"	"	da 1,00	Steel Shot



***	PBOG-E5-M	IN/OUT + 55	125	mm	da 0,50	Steel Shot
**	PBOG-E5-IM	"	"	"	da 0,75	Steel Shot
*	PBOG-E5-F	"	"	"	da 1,00	Steel Shot



PBOG.J	EXTENSION	170	mm			
--------	-----------	-----	----	--	--	--



SK2	CG-P-SK2	PORTED	81	mm	da -0,30	Steel Shot
C *****	CG-P-C	"	"	"	da 0,00	Steel Shot
SK1	CG-P-SK1	"	"	"	da 0,15	Steel Shot
IC *****	CG-P-IC	"	"	"	da 0,25	Steel Shot
LM	CG-P-LM	"	"	"	da 0,38	Steel Shot
M ***	CG-P-M	"	"	"	da 0,50	Steel Shot
IM **	CG-P-IM	"	"	"	da 0,63	Only Lead
LF	CG-P-LF	"	"	"	da 0,76	Only Lead
F *	CG-P-F	"	"	"	da 0,89	Only Lead
XF	CG-P-XF	"	"	"	da 1,02	Only Lead



SK	PBOP-F-SK	FLUSH	70	mm	da -0,30	Steel Shot
*****	PBOP-F-C	"	"	"	da 0,10	Steel Shot
****	PBOP-F-IC	"	"	"	da 0,25	Steel Shot
***	PBOP-F-M	"	"	"	da 0,50	Steel Shot
**	PBOP-F-IM	"	"	"	da 0,75	Only Lead
*	PBOP-F-F	"	"	"	da 1,00	Only Lead
XF	PBOP-F-XF	"	"	"	da 1,20	Only Lead



SK	PBOP-P-SK	PORTED	91	mm	da -0,30	Steel Shot
*****	PBOP-P-C	"	"	"	da 0,10	Steel Shot
****	PBOP-P-IC	"	"	"	da 0,25	Steel Shot
***	PBOP-P-M	"	"	"	da 0,50	Steel Shot
**	PBOP-P-IM	"	"	"	da 0,75	Only Lead
*	PBOP-P-F	"	"	"	da 1,00	Only Lead
XF	PBOP-P-XF	"	"	"	da 1,20	Only Lead



SK	PBOP-E2-SK	EXTENDED	91	mm	da -0,30	Steel Shot
*****	PBOP-E2-C	"	"	"	da 0,10	Steel Shot
****	PBOP-E2-IC	"	"	"	da 0,25	Steel Shot
***	PBOP-E2-M	"	"	"	da 0,50	Steel Shot
**	PBOP-E2-IM	"	"	"	da 0,75	Steel Shot
*	PBOP-E2-F	"	"	"	da 1,00	Steel Shot
XF	PBOP-E2-XF	"	"	"	da 1,20	Only Lead



****	PBOP-E5-IC	IN/OUT + 55	125	mm	da 0,25	Steel Shot
***	PBOP-E5-M	"	"	"	da 0,50	Steel Shot
**	PBOP-E5-IM	"	"	"	da 0,75	Steel Shot
*	PBOP-E5-F	"	"	"	da 1,00	Steel Shot



***	PBOP-E10-M	IN/OUT + 100	170	mm	da 0,50	Steel Shot
**	PBOP-E10-IM	"	"	"	da 0,75	Steel Shot
*	PBOP-E10-F	"	"	"	da 1,00	Steel Shot
XF	PBOP-E10-XF	"	"	"	da 1,20	Steel Shot



PBOP.J	EXTENSION	170	mm
--------	-----------	-----	----



700.R	RIFLED	91	mm	Only Lead
-------	--------	----	----	-----------



SK	700.SK	FLUSH	70	mm	da -0,30	Steel Shot
*****	700.010	"	"	"	da 0,10	Steel Shot
****	700.025	"	"	"	da 0,25	Steel Shot
***	700.050	"	"	"	da 0,50	Steel Shot
**	700.075	"	"	"	da 0,75	Only Lead
*	700.100	"	"	"	da 1,00	Only Lead
XF	700.120	"	"	"	da 1,20	Only Lead



SK	709.SK	PORTED	91	mm	da -0,30	Steel Shot
*****	709.010	"	"	"	da 0,10	Steel Shot
****	709.025	"	"	"	da 0,25	Steel Shot
***	709.050	"	"	"	da 0,50	Steel Shot
**	709.075	"	"	"	da 0,75	Only Lead
*	709.100	"	"	"	da 1,00	Only Lead
XF	709.120	"	"	"	da 1,20	Only Lead



SK	702.SK	EXTENDED	91	mm	da -0,30	Steel Shot
*****	702.010	"	"	"	da 0,10	Steel Shot
****	702.025	"	"	"	da 0,25	Steel Shot
***	702.050	"	"	"	da 0,50	Steel Shot
**	702.075	"	"	"	da 0,75	Steel Shot
*	702.100	"	"	"	da 1,00	Steel Shot
XF	702.120	"	"	"	da 1,20	Only Lead



****	712.025	IN/OUT + 55	125	mm	da 0,25	Steel Shot
***	712.050	"	"	"	da 0,50	Steel Shot
**	712.075	"	"	"	da 0,75	Steel Shot
*	712.100	"	"	"	da 1,00	Steel Shot



***	717.050	IN/OUT + 100	170	mm	da 0,50	Steel Shot
**	717.075	"	"	"	da 0,75	Steel Shot
*	717.100	"	"	"	da 1,00	Steel Shot
XF	717.120	"	"	"	da 1,20	Steel Shot



717.J	EXTENSION	170	mm
--------------	------------------	------------	-----------



700.R	RIFLED	91	mm	Only Lead
--------------	---------------	-----------	-----------	------------------

	SK	PBOHP-F-SK	FLUSH	70	mm	Ø 18,90	Steel Shot
		PBOHP-F-187	"	"	"	Ø 18,70	Steel Shot
	C *****	PBOHP-F-186	"	"	"	Ø 18,60	Steel Shot
		PBOHP-F-185	"	"	"	Ø 18,50	Steel Shot
		PBOHP-F-184	"	"	"	Ø 18,40	Steel Shot
	IC ****	PBOHP-F-183	"	"	"	Ø 18,30	Steel Shot
		PBOHP-F-182	"	"	"	Ø 18,20	Steel Shot
	M ***	PBOHP-F-181	"	"	"	Ø 18,10	Steel Shot
		PBOHP-F-180	"	"	"	Ø 18,00	Only Lead
	IM **	PBOHP-F-179	"	"	"	Ø 17,90	Only Lead
		PBOHP-F-178	"	"	"	Ø 17,80	Only Lead
		PBOHP-F-177	"	"	"	Ø 17,70	Only Lead
	F *	PBOHP-F-176	"	"	"	Ø 17,60	Only Lead
	XF	PBOHP-F-175	"	"	"	Ø 17,50	Only Lead
	SK2	PBOHP-P-SK2	PORTED	91	mm	da -0,30	Steel Shot
	*****	PBOHP-P-C	"	"	"	da 0,00	Steel Shot
	SK1	PBOHP-P-SK1	"	"	"	da 0,13	Steel Shot
	****	PBOHP-P-IC	"	"	"	da 0,25	Steel Shot
	LM	PBOHP-P-LM	"	"	"	da 0,38	Steel Shot
	***	PBOHP-P-M	"	"	"	da 0,50	Steel Shot
	**	PBOHP-P-IM	"	"	"	da 0,63	Only Lead
	LF	PBOHP-P-LF	"	"	"	da 0,76	Only Lead
	*	PBOHP-P-F	"	"	"	da 0,89	Only Lead
	XF	PBOHP-P-XF	"	"	"	da 1,02	Only Lead
	SK2	PBOHP-E2-SK2	EXTENDED	91	mm	da -0,30	Steel Shot
	*****	PBOHP-E2-C	"	"	"	da 0,00	Steel Shot
	SK1	PBOHP-E2-SK1	"	"	"	da 0,13	Steel Shot
	****	PBOHP-E2-IC	"	"	"	da 0,25	Steel Shot
	LM	PBOHP-E2-LM	"	"	"	da 0,38	Steel Shot
	***	PBOHP-E2-M	"	"	"	da 0,50	Steel Shot
	**	PBOHP-E2-IM	"	"	"	da 0,63	Steel Shot
	LF	PBOHP-E2-LF	"	"	"	da 0,76	Steel Shot
	*	PBOHP-E2-F	"	"	"	da 0,89	Steel Shot
	XF	PBOHP-E2-XF	"	"	"	da 1,02	Only Lead
							
****	PBOHP-E5-IC	IN/OUT + 55	125	mm	da 0,25	Steel Shot	
***	PBOHP-E5-M	"	"	"	da 0,50	Steel Shot	
**	PBOHP-E5-IM	"	"	"	da 0,75	Steel Shot	
*	PBOHP-E5-F	"	"	"	da 1,00	Steel Shot	
							
***	PBOHP-E10-M	IN/OUT + 100	170	mm	da 0,50	Steel Shot	
**	PBOHP-E10-IM	"	"	"	da 0,75	Steel Shot	
*	PBOHP-E10-F	"	"	"	da 1,00	Steel Shot	
							
PBOHP.J	EXTENSION		170	mm			
							
PBOHP.R	RIFLED		91	mm			Only Lead



**CAL.12 - INVECTOR / BROWNING - CHARLES DAY - FN SLP - STOEGER -
MAVERICK ARMS - NEW ENGLAND FIREARMS - SMITH & WESSON - THOMPSON**



SK	BWI-F-SK	FLUSH	37,6	mm	da -0,30	Steel Shot
*****	BWI-F-C	"	"	"	da 0,10	Steel Shot
****	BWI-F-IC	"	"	"	da 0,25	Steel Shot
***	BWI-F-M	"	"	"	da 0,50	Steel Shot
**	BWI-F-IM	"	"	"	da 0,75	Only Lead
*	BWI-F-F	"	"	"	da 1,00	Only Lead
XF	BWI-F-XF	"	"	"	da 1,20	Only Lead



SK	BWI-P-SK	PORTED	59	mm	da -0,30	Steel Shot
*****	BWI-P-C	"	"	"	da 0,00	Steel Shot
****	BWI-P-IC	"	"	"	da 0,25	Steel Shot
LM	BWI-P-LM	"	"	"	da 0,38	Steel Shot
***	BWI-P-M	"	"	"	da 0,50	Steel Shot
**	BWI-P-IM	"	"	"	da 0,63	Only Lead
LF	BWI-P-LF	"	"	"	da 0,76	Only Lead
*	BWI-P-F	"	"	"	da 0,89	Only Lead
XF	BWI-P-XF	"	"	"	da 1,02	Only Lead



SK	BWI-E2-SK	EXTENDED	59	mm	da -0,30	Steel Shot
*****	BWI-E2-C	"	"	"	da 0,00	Steel Shot
****	BWI-E2-IC	"	"	"	da 0,25	Steel Shot
LM	BWI-E2-LM	"	"	"	da 0,38	Steel Shot
***	BWI-E2-M	"	"	"	da 0,50	Steel Shot
**	BWI-E2-IM	"	"	"	da 0,63	Steel Shot
LF	BWI-E2-LF	"	"	"	da 0,76	Steel Shot
*	BWI-E2-F	"	"	"	da 0,89	Steel Shot
XF	BWI-E2-XF	"	"	"	da 1,02	Only Lead



***	BWI-E5-M	IN/OUT + 50	88,4	mm	da 0,50	Steel Shot
**	BWI-E5-IM	"	"	"	da 0,75	Steel Shot
*	BWI-E5-F	"	"	"	da 1,00	Steel Shot
XF	BWI-E5-XF	"	"	"	da 1,20	Steel Shot



***	BWI-E10-M	IN/OUT + 100	138,4	mm	da 0,50	Steel Shot
**	BWI-E10-IM	"	"	"	da 0,75	Steel Shot
*	BWI-E10-F	"	"	"	da 1,00	Steel Shot



BWI.J EXTENSION 138,4 mm



BWI.R RIFLED 59 mm Only Lead



SK	BWIP-F-SK	FLUSH	60,4	mm	da -0,30	Steel Shot
*****	BWIP-F-C	"	"	"	da 0,10	Steel Shot
****	BWIP-F-IC	"	"	"	da 0,25	Steel Shot
***	BWIP-F-M	"	"	"	da 0,50	Steel Shot
**	BWIP-F-IM	"	"	"	da 0,75	Only Lead
*	BWIP-F-F	"	"	"	da 1,00	Only Lead
XF	BWIP-F-XF	"	"	"	da 1,20	Only Lead



SK2	BWIP-P-SK2	PORTED	81,5	mm	da -0,30	Steel Shot
*****	BWIP-P-C	"	"	"	da 0,00	Steel Shot
SK1	BWIP-P-SK1	"	"	"	da 0,15	Steel Shot
****	BWIP-P-IC	"	"	"	da 0,25	Steel Shot
LM	BWIP-P-LM	"	"	"	da 0,38	Steel Shot
***	BWIP-P-M	"	"	"	da 0,50	Steel Shot
**	BWIP-P-IM	"	"	"	da 0,63	Only Lead
LF	BWIP-P-LF	"	"	"	da 0,76	Only Lead
*	BWIP-P-F	"	"	"	da 0,89	Only Lead
XF	BWIP-P-XF	"	"	"	da 1,02	Only Lead



SK2	BWIP-E2-SK2	EXTENDED	81,5	mm	da -0,30	Steel Shot
*****	BWIP-E2-C	"	"	"	da 0,00	Steel Shot
SK1	BWIP-E2-SK1	"	"	"	da 0,15	Steel Shot
****	BWIP-E2-IC	"	"	"	da 0,25	Steel Shot
LM	BWIP-E2-LM	"	"	"	da 0,38	Steel Shot
***	BWIP-E2-M	"	"	"	da 0,50	Steel Shot
**	BWIP-E2-IM	"	"	"	da 0,63	Steel Shot
LF	BWIP-E2-LF	"	"	"	da 0,76	Steel Shot
*	BWIP-E2-F	"	"	"	da 0,89	Steel Shot
XF	BWIP-E2-XF	"	"	"	da 1,02	Only Lead



***	BWIP-E5-M	IN/OUT + 50	111	mm	da 0,50	Steel Shot
**	BWIP-E5-IM	"	"	"	da 0,75	Steel Shot
*	BWIP-E5-F	"	"	"	da 1,00	Steel Shot
XF	BWIP-E5-XF	"	"	"	da 1,20	Steel Shot



**	BWIP-E10-IM	IN/OUT + 100	161	mm	da 0,75	Steel Shot
*	BWIP-E10-F	"	"	"	da 1,00	Steel Shot



BWIP.J EXTENSION 161 mm



BWIP.R RIFLED 81,5 mm Only Lead



SK	BWIDS-F-SK	FLUSH	80	mm	da -0,30	Steel Shot
*****	BWIDS-F-C	"	"	"	da 0,10	Steel Shot
****	BWIDS-F-IC	"	"	"	da 0,25	Steel Shot
***	BWIDS-F-M	"	"	"	da 0,50	Steel Shot
**	BWIDS-F-IM	"	"	"	da 0,75	Only Lead
*	BWIDS-F-F	"	"	"	da 1,00	Only Lead
XF	BWIDS-F-XF	"	"	"	da 1,20	Only Lead
SK2	BWIDS-P-SK2	PORTED	101	mm	da -0,30	Steel Shot
*****	BWIDS-P-C	"	"	"	da 0,00	Steel Shot
SK1	BWIDS-P-SK1	"	"	"	da 0,15	Steel Shot
****	BWIDS-P-IC	"	"	"	da 0,25	Steel Shot
LM	BWIDS-P-LM	"	"	"	da 0,38	Steel Shot
***	BWIDS-P-M	"	"	"	da 0,50	Steel Shot
**	BWIDS-P-IM	"	"	"	da 0,63	Only Lead
LF	BWIDS-P-LF	"	"	"	da 0,76	Only Lead
*	BWIDS-P-F	"	"	"	da 0,89	Only Lead
XF	BWIDS-P-XF	"	"	"	da 1,02	Only Lead
SK2	BWIDS-E2-SK2	EXTENDED	101	mm	da -0,30	Steel Shot
*****	BWIDS-E2-C	"	"	"	da 0,00	Steel Shot
SK1	BWIDS-E2-SK1	"	"	"	da 0,15	Steel Shot
****	BWIDS-E2-IC	"	"	"	da 0,25	Steel Shot
LM	BWIDS-E2-LM	"	"	"	da 0,38	Steel Shot
***	BWIDS-E2-M	"	"	"	da 0,50	Steel Shot
**	BWIDS-E2-IM	"	"	"	da 0,63	Steel Shot
LF	BWIDS-E2-LF	"	"	"	da 0,76	Steel Shot
*	BWIDS-E2-F	"	"	"	da 0,89	Steel Shot
XF	BWIDS-E2-XF	"	"	"	da 1,02	Only Lead



SK2	AZ-P-SK2	PORTED	71	mm	da -0,30	Steel Shot
*****	AZ-P-C	"	"	"	da 0,00	Steel Shot
SK1	AZ-P-SK1	"	"	"	da 0,15	Steel Shot
****	AZ-P-IC	"	"	"	da 0,25	Steel Shot
LM	AZ-P-LM	"	"	"	da 0,38	Steel Shot
***	AZ-P-M	"	"	"	da 0,50	Steel Shot
**	AZ-P-IM	"	"	"	da 0,63	Only Lead
LF	AZ-P-LF	"	"	"	da 0,76	Only Lead
*	AZ-P-F	"	"	"	da 0,89	Only Lead
XF	AZ-P-XF	"	"	"	da 1,02	Only Lead



SK2	BR-P-SK2	PORTED	71	mm	da -0,30	Steel Shot
*****	BR-P-C	"	"	"	da 0,00	Steel Shot
SK1	BR-P-SK1	"	"	"	da 0,15	Steel Shot
****	BR-P-IC	"	"	"	da 0,25	Steel Shot
LM	BR-P-LM	"	"	"	da 0,38	Steel Shot
***	BR-P-M	"	"	"	da 0,50	Steel Shot
**	BR-P-IM	"	"	"	da 0,63	Only Lead
LF	BR-P-LF	"	"	"	da 0,76	Only Lead
*	BR-P-F	"	"	"	da 0,89	Only Lead
XF	BR-P-XF	"	"	"	da 1,02	Only Lead



Ø 19,00	870.190	PORTED	70	mm	SK	-3	Steel Shot
Ø 18,80	870.188	"	"	"		-1	Steel Shot
Ø 18,70	870.187	"	"	"		0	Steel Shot
Ø 18,60	870.186	"	"	"		1	Steel Shot
Ø 18,50	870.185	"	"	"		2	Steel Shot
Ø 18,40	870.184	"	"	"		3	Steel Shot
Ø 18,30	870.183	"	"	"		4	Steel Shot
Ø 18,20	870.182	"	"	"		5	Only Lead
Ø 18,10	870.181	"	"	"		6	Only Lead
Ø 18,00	870.180	"	"	"		7	Only Lead
Ø 17,90	870.179	"	"	"		8	Only Lead
Ø 17,80	870.178	"	"	"		9	Only Lead
Ø 17,70	870.177	"	"	"		10	Only Lead
Ø 17,60	870.176	"	"	"		11	Only Lead



Ø 18,70	800.187	PORTED	70	mm	SK	-3	Steel Shot
Ø 18,50	800.185	"	"	"		-1	Steel Shot
Ø 18,40	800.184	"	"	"		0	Steel Shot
Ø 18,30	800.183	"	"	"		1	Steel Shot
Ø 18,20	800.182	"	"	"		2	Steel Shot
Ø 18,10	800.181	"	"	"		3	Steel Shot
Ø 18,00	800.180	"	"	"		4	Steel Shot
Ø 17,90	800.179	"	"	"		5	Only Lead
Ø 17,80	800.178	"	"	"		6	Only Lead
Ø 17,70	800.177	"	"	"		7	Only Lead
Ø 17,60	800.176	"	"	"		8	Only Lead
Ø 17,50	800.175	"	"	"		9	Only Lead
Ø 17,40	800.174	"	"	"		10	Only Lead
Ø 17,30	800.173	"	"	"		11	Only Lead



Ø 18,40	801.184	PORTED	61	mm		0	Steel Shot
Ø 18,30	801.183	"	"	"		1	Steel Shot
Ø 18,20	801.182	"	"	"		2	Steel Shot
Ø 18,10	801.181	"	"	"		3	Steel Shot
Ø 18,00	801.180	"	"	"		4	Steel Shot
Ø 17,90	801.179	"	"	"		5	Only Lead
Ø 17,80	801.178	"	"	"		6	Only Lead
Ø 17,70	801.177	"	"	"		7	Only Lead
Ø 17,60	801.176	"	"	"		8	Only Lead
Ø 17,50	801.175	"	"	"		9	Only Lead
Ø 17,40	801.174	"	"	"		10	Only Lead



Ø 18,40	70S.184	FLUSH	70	mm	0	Only Lead
Ø 18,30	70S.183	"	"	"	1	Only Lead
Ø 18,20	70S.182	"	"	"	2	Only Lead
Ø 18,10	70S.181	"	"	"	3	Only Lead
Ø 18,00	70S.180	"	"	"	4	Only Lead
Ø 17,90	70S.179	"	"	"	5	Only Lead
Ø 17,80	70S.178	"	"	"	6	Only Lead
Ø 17,70	70S.177	"	"	"	7	Only Lead
Ø 17,60	70S.176	"	"	"	8	Only Lead
Ø 17,50	70S.175	"	"	"	9	Only Lead
Ø 17,40	70S.174	"	"	"	10	Only Lead
Ø 17,30	70S.173	"	"	"	11	Only Lead



Ø 18,70	70S-E2-187	EXTENDED	91	mm	-3	Only Lead
Ø 18,50	70S-E2-185	"	"	"	-1	Only Lead
Ø 18,40	70S-E2-184	"	"	"	0	Only Lead
Ø 18,30	70S-E2-183	"	"	"	1	Only Lead
Ø 18,20	70S-E2-182	"	"	"	2	Only Lead
Ø 18,10	70S-E2-181	"	"	"	3	Only Lead
Ø 18,00	70S-E2-180	"	"	"	4	Only Lead
Ø 17,90	70S-E2-179	"	"	"	5	Only Lead
Ø 17,80	70S-E2-178	"	"	"	6	Only Lead
Ø 17,70	70S-E2-177	"	"	"	7	Only Lead
Ø 17,60	70S-E2-176	"	"	"	8	Only Lead
Ø 17,50	70S-E2-175	"	"	"	9	Only Lead
Ø 17,40	70S-E2-174	"	"	"	10	Only Lead
Ø 17,30	70S-E2-173	"	"	"	11	Only Lead



Ø 18,70	70S-P-187	PORTED	91	mm	-3	Only Lead
Ø 18,50	70S-P-185	"	"	"	-1	Only Lead
Ø 18,40	70S-P-184	"	"	"	0	Only Lead
Ø 18,30	70S-P-183	"	"	"	1	Only Lead
Ø 18,20	70S-P-182	"	"	"	2	Only Lead
Ø 18,10	70S-P-181	"	"	"	3	Only Lead
Ø 18,00	70S-P-180	"	"	"	4	Only Lead
Ø 17,90	70S-P-179	"	"	"	5	Only Lead
Ø 17,80	70S-P-178	"	"	"	6	Only Lead
Ø 17,70	70S-P-177	"	"	"	7	Only Lead
Ø 17,60	70S-P-176	"	"	"	8	Only Lead
Ø 17,50	70S-P-175	"	"	"	9	Only Lead
Ø 17,40	70S-P-174	"	"	"	10	Only Lead
Ø 17,30	70S-P-173	"	"	"	11	Only Lead



SK	RG-F-SK	FLUSH	70	mm	Ø 18,70	Steel Shot
	RG-F-185	"	"	"	Ø 18,50	Steel Shot
C *****	RG-F-184	"	"	"	Ø 18,40	Steel Shot
	RG-F-183	"	"	"	Ø 18,30	Steel Shot
	RG-F-182	"	"	"	Ø 18,20	Steel Shot
IC ****	RG-F-181	"	"	"	Ø 18,10	Steel Shot
	RG-F-180	"	"	"	Ø 18,00	Only Lead
M ***	RG-F-179	"	"	"	Ø 17,90	Only Lead
	RG-F-178	"	"	"	Ø 17,80	Only Lead
IM **	RG-F-177	"	"	"	Ø 17,70	Only Lead
	RG-F-176	"	"	"	Ø 17,60	Only Lead
	RG-F-175	"	"	"	Ø 17,50	Only Lead
F *	RG-F-174	"	"	"	Ø 17,40	Only Lead
XF	RG-F-173	"	"	"	Ø 17,30	Only Lead



SK2	RG-E2-SK2	EXTENDED	91	mm	da -0,30	Steel Shot
*****	RG-E2-C	"	"	"	da 0,00	Steel Shot
SK1	RG-E2-SK1	"	"	"	da -0,15	Steel Shot
****	RG-E2-IC	"	"	"	da 0,25	Steel Shot
LM	RG-E2-LM	"	"	"	da 0,38	Steel Shot
***	RG-E2-M	"	"	"	da 0,50	Steel Shot
**	RG-E2-IM	"	"	"	da 0,63	Steel Shot
LF	RG-E2-LF	"	"	"	da 0,76	Steel Shot
*	RG-E2-F	"	"	"	da 0,89	Steel Shot
XF	RG-E2-XF	"	"	"	da 1,02	Only Lead



SK2	RG-P-SK2	PORTED	91	mm	da -0,30	Steel Shot
*****	RG-P-C	"	"	"	da 0,00	Steel Shot
SK1	RG-P-SK1	"	"	"	da -0,15	Steel Shot
****	RG-P-IC	"	"	"	da 0,25	Steel Shot
LM	RG-P-LM	"	"	"	da 0,38	Steel Shot
***	RG-P-M	"	"	"	da 0,50	Steel Shot
**	RG-P-IM	"	"	"	da 0,63	Only Lead
LF	RG-P-LF	"	"	"	da 0,76	Only Lead
*	RG-P-F	"	"	"	da 0,89	Only Lead
XF	RG-P-XF	"	"	"	da 1,02	Only Lead



SK	100.SK	FLUSH	51	mm	da -0,30	Steel Shot
*****	100.010	"	"	"	da 0,00	Steel Shot
****	100.025	"	"	"	da 0,25	Steel Shot
***	100.050	"	"	"	da 0,50	Steel Shot
**	100.075	"	"	"	da 0,75	Only Lead
*	100.100	"	"	"	da 1,00	Only Lead

		CAL.12 - BAIKAL					
							
NEW	SK	BA-F-SK	FLUSH	40,8	mm	da -0,30	Steel Shot
"	*****	BA-F-C	"	"	"	da 0,10	Steel Shot
"	****	BA-F-IC	"	"	"	da 0,25	Steel Shot
"	***	BA-F-M	"	"	"	da 0,50	Steel Shot
"	**	BA-F-IM	"	"	"	da 0,75	Only Lead
"	*	BA-F-F	"	"	"	da 1,00	Only Lead
							
NEW	SK	BA-P-SK	PORTED	61,5	mm	da -0,30	Steel Shot
"	*****	BA-P-C	"	"	"	da 0,00	Steel Shot
"	****	BA-P-IC	"	"	"	da 0,25	Steel Shot
"	***	BA-P-M	"	"	"	da 0,50	Steel Shot
"	**	BA-P-IM	"	"	"	da 0,63	Only Lead
"	*	BA-P-F	"	"	"	da 0,89	Only Lead
"	XF	BA-P-XF	"	"	"	da 1,02	Only Lead
							
NEW	SK	BA-E2-SK	EXTENDED	61,5	mm	da -0,30	Steel Shot
"	*****	BA-E2-C	"	"	"	da 0,00	Steel Shot
"	****	BA-E2-IC	"	"	"	da 0,25	Steel Shot
"	***	BA-E2-M	"	"	"	da 0,50	Steel Shot
"	**	BA-E2-IM	"	"	"	da 0,63	Steel Shot
"	*	BA-E2-F	"	"	"	da 0,89	Steel Shot
"	XF	BA-E2-XF	"	"	"	da 1,02	Only Lead
							
	****	BA.5.025	IN/OUT + 50	91,5	mm	da 0,25	Steel Shot
	***	BA.5.050	"	"	"	da 0,50	Steel Shot
	**	BA.5.075	"	"	"	da 0,75	Steel Shot
	*	BA.5.100	"	"	"	da 1,00	Steel Shot
							
	**	BA.10.075	IN/OUT + 100	141,5	mm	da 0,75	Steel Shot
	*	BA.10.100	"	"	"	da 1,00	Steel Shot
							
		BA-5.J	EXTENSION	91,5	mm		
		BA-10.J	"	141,5	mm		
							
NEW		BA.R	RIFLED	61,5	mm		Only Lead


509

 CHIAVE UNIVERSALE **CAL.12** E **CAL.20**

511
512
28.C

 CHIAVE CON PULISCIFILETTO CANNA **CAL.12**
 CHIAVE CON PULISCIFILETTO CANNA **CAL.20**
 CHIAVE CON PULISCIFILETTO CANNA **CAL.28**

514
513
540

 CHIAVE **CAL.12** CON GUIDA - **SPACCHI OLTRE 2 mm**
 CHIAVE **CAL.12** CON GUIDA - **SPACCHI FINO A 2 mm**
 CHIAVE **CAL.20** CON GUIDA - **SPACCHI OLTRE 2 mm**

511.R **CAL.12**
512.R **CAL.20**

 CHIAVE CON PULISCIFILETTO
 CANNA E TRAVERSINO ADDIZIONALE
 PER FACILITARE LO SMONTAGGIO DEGLI
 STROZZATORI RIGATI



CAL.20 - MOBILCHOKE - **BERETTA - BENELLI - BREDA - CHAPUIS ARMES -**
CHARLES DAY - VERNEY CARRON



SK	489.SK	FLUSH	50	mm	da -0,30	Steel Shot
*****	489.010	"	"	"	da,0,00	Steel Shot
****	489.025	"	"	"	da 0,25	Steel Shot
***	489.050	"	"	"	da 0,40	Steel Shot
**	489.075	"	"	"	da 0,60	Only Lead
*	489.100	"	"	"	da 0,80	Only Lead



SK	507.SK	PORTED	71	mm	da -0,30	Steel Shot
*****	507.010	"	"	"	da,0,00	Steel Shot
****	507.025	"	"	"	da 0,25	Steel Shot
***	507.050	"	"	"	da 0,40	Steel Shot
**	507.075	"	"	"	da 0,60	Only Lead
*	507.100	"	"	"	da 0,80	Only Lead



SK	502.SK	EXTENDED	71	mm	da -0,30	Steel Shot
*****	502.010	"	"	"	da,0,00	Steel Shot
****	502.025	"	"	"	da 0,25	Steel Shot
***	502.050	"	"	"	da 0,40	Steel Shot
**	502.075	"	"	"	da 0,60	Steel Shot
*	502.100	"	"	"	da 0,80	Steel Shot



****	505.025	IN/OUT + 55	105	mm	da 0,25	Steel Shot
***	505.050	"	"	"	da 0,40	Steel Shot
**	505.075	"	"	"	da 0,60	Steel Shot
*	505.100	"	"	"	da 0,80	Steel Shot




489.J	EXTENSION	150	mm
--------------	------------------	------------	-----------



489.R	RIFLED	71	mm	Only Lead
--------------	---------------	-----------	-----------	------------------



SK	720.SK	FLUSH	70 mm	da -0,30	Steel Shot
*****	720.010	"	" "	da,0,00	Steel Shot
****	720.025	"	" "	da 0,25	Steel Shot
***	720.050	"	" "	da 0,40	Steel Shot
**	720.075	"	" "	da 0,60	Only Lead
*	720.100	"	" "	da 0,80	Only Lead



SK	729.SK	PORTED	91 mm	da -0,30	Steel Shot
*****	729.010	"	" "	da,0,00	Steel Shot
****	729.025	"	" "	da 0,25	Steel Shot
***	729.050	"	" "	da 0,40	Steel Shot
**	729.075	"	" "	da 0,60	Only Lead
*	729.100	"	" "	da 0,80	Only Lead



SK	722.SK	EXTENDED	91 mm	da -0,30	Steel Shot
*****	722.010	"	" "	da,0,00	Steel Shot
****	722.025	"	" "	da 0,25	Steel Shot
***	722.050	"	" "	da 0,40	Steel Shot
**	722.075	"	" "	da 0,60	Steel Shot
*	722.100	"	" "	da 0,80	Steel Shot



***	725.050	IN/OUT + 55	125 mm	da 0,40	Steel Shot
**	725.075	"	" "	da 0,60	Steel Shot
*	725.100	"	" "	da 0,80	Steel Shot



720.J **EXTENSION** **170** mm



720.R **RIFLED** **91** mm Only Lead



SK	PBOHP20-F-SK	FLUSH	63,5	mm	da -0,30	Steel Shot
C *****	PBOHP20-F-C	"	"	"	da,0,00	Steel Shot
IC *****	PBOHP20-F-IC	"	"	"	da 0,25	Steel Shot
M ***	PBOHP20-F-M	"	"	"	da 0,40	Steel Shot
IM **	PBOHP20-F-IM	"	"	"	da 0,60	Only Lead
F *	PBOHP20-F-F	"	"	"	da 0,80	Only Lead



SK	PBOHP20-P-SK	PORTED	85	mm	da -0,30	Steel Shot
*****	PBOHP20-P-C	"	"	"	da,0,00	Steel Shot
*****	PBOHP20-P-IC	"	"	"	da 0,25	Steel Shot
***	PBOHP20-P-M	"	"	"	da 0,40	Steel Shot
**	PBOHP20-P-IM	"	"	"	da 0,60	Only Lead
*	PBOHP20-P-F	"	"	"	da 0,80	Only Lead



SK	PBOHP20-E2-SK	EXTENDED	85	mm	da -0,30	Steel Shot
*****	PBOHP20-E2-C	"	"	"	da,0,00	Steel Shot
*****	PBOHP20-E2-IC	"	"	"	da 0,25	Steel Shot
***	PBOHP20-E2-M	"	"	"	da 0,40	Steel Shot
**	PBOHP20-E2-IM	"	"	"	da 0,60	Steel Shot
*	PBOHP20-E2-F	"	"	"	da 0,80	Steel Shot



***	PBOHP20-E5-M	IN/OUT + 55	118	mm	da 0,40	Steel Shot
**	PBOHP20-E5-IM	"	"	"	da 0,60	Steel Shot
*	PBOHP20-E5-F	"	"	"	da 0,80	Steel Shot



PBOHP20.J	EXTENSION	168	mm
-----------	-----------	-----	----



PBOHP20.R	RIFLED	85	mm	Only Lead
-----------	--------	----	----	-----------

**CAL.20 - INVECTOR PLUS - BROWNING**

SK	BWIP20-F-SK	FLUSH	54	mm	da -0,30	Steel Shot
*****	BWIP20-F-C	"	"	"	da,0,00	Steel Shot
****	BWIP20-F-IC	"	"	"	da 0,25	Steel Shot
***	BWIP20-F-M	"	"	"	da 0,40	Steel Shot
**	BWIP20-F-IM	"	"	"	da 0,60	Only Lead
*	BWIP20-F-F	"	"	"	da 0,80	Only Lead



SK	BWIP20-P-SK	PORTED	75	mm	da -0,30	Steel Shot
*****	BWIP20-P-C	"	"	"	da,0,00	Steel Shot
****	BWIP20-P-IC	"	"	"	da 0,25	Steel Shot
***	BWIP20-P-M	"	"	"	da 0,40	Steel Shot
**	BWIP20-P-IM	"	"	"	da 0,60	Only Lead
*	BWIP20-P-F	"	"	"	da 0,80	Only Lead



SK	BWIP20-E2-SK	EXTENDED	75	mm	da -0,30	Steel Shot
*****	BWIP20-E2-C	"	"	"	da,0,00	Steel Shot
****	BWIP20-E2-IC	"	"	"	da 0,25	Steel Shot
***	BWIP20-E2-M	"	"	"	da 0,40	Steel Shot
**	BWIP20-E2-IM	"	"	"	da 0,60	Steel Shot
*	BWIP20-E2-F	"	"	"	da 0,80	Steel Shot

**CAL.28 - OPTIMA HP - BERETTA**

SK	PBOHP28-F-SK	FLUSH	50,5	mm	da -0,30	Steel Shot
C *****	PBOHP28-F-C	"	"	"	da 0,10	Steel Shot
IC ****	PBOHP28-F-IC	"	"	"	da 0,25	Steel Shot
M ***	PBOHP28-F-M	"	"	"	da 0,33	Steel Shot
IM **	PBOHP28-F-IM	"	"	"	da 0,50	Only Lead
F *	PBOHP28-F-F	"	"	"	da 0,63	Only Lead



***	PBOHP28-E5-M	IN/OUT + 55	105	mm	da 0,33	Steel Shot
**	PBOHP28-E5-IM	"	"	"	da 0,50	Steel Shot
*	PBOHP28-E5-F	"	"	"	da 0,63	Steel Shot



PBOHP28.J EXTENSION 150 mm


CAL.28 - CRIO - BENELLI - FRANCHI


SK	280.SK	FLUSH	70	mm	da -0,30	Steel Shot
*****	280.010	"	"	"	da 0,10	Steel Shot
****	280.025	"	"	"	da 0,25	Steel Shot
***	280.050	"	"	"	da 0,33	Steel Shot
**	280.075	"	"	"	da 0,50	Only Lead
*	280.100	"	"	"	da 0,63	Only Lead



SK	282.SK	EXTENDED	91	mm	da -0,30	Steel Shot
*****	282.C	"	"	"	da 0,10	Steel Shot
****	282.IC	"	"	"	da 0,25	Steel Shot
***	282.M	"	"	"	da 0,33	Steel Shot
**	282.IM	"	"	"	da 0,50	Steel Shot
*	282.F	"	"	"	da 0,63	Steel Shot



***	285.050	IN/OUT + 55	125	mm	da 0,33	Steel Shot
**	285.075	"	"	"	da 0,50	Steel Shot
*	285.100	"	"	"	da 0,63	Steel Shot



280.J EXTENSION 170 mm **PROLUNGA**


**CAL.28 - MOBILCHOKE - BERETTA - CHAPUIS ARMES - BERNARDELLI -
AKKAR - LAURONA ZABALA - AGM JEAGER - ARMSAN (CRE 8)**


SK	MC28.SK	FLUSH	40	mm	da -0,30	Steel Shot
*****	MC28.010	"	"	"	da 0,10	Steel Shot
****	MC28.025	"	"	"	da 0,25	Steel Shot
***	MC28.050	"	"	"	da 0,33	Steel Shot
**	MC28.075	"	"	"	da 0,50	Only Lead
*	MC28.100	"	"	"	da 0,63	Only Lead



SK	MC282.SK	EXTENDED	61	mm	da -0,30	Steel Shot
*****	MC282.C	"	"	"	da 0,10	Steel Shot
****	MC282.IC	"	"	"	da 0,25	Steel Shot
***	MC282.M	"	"	"	da 0,33	Steel Shot
**	MC282.IM	"	"	"	da 0,50	Steel Shot
*	MC282.F	"	"	"	da 0,63	Steel Shot



****	MC285.025	IN/OUT + 50	90	mm	da 0,25	Steel Shot
***	MC285.050	"	"	"	da 0,33	Steel Shot
**	MC285.075	"	"	"	da 0,50	Steel Shot
*	MC285.100	"	"	"	da 0,63	Steel Shot

**CAL.28 - RIZZINI**

SK	BR282.SK	EXTENDED	62	mm	da -0,30	Steel Shot
*****	BR282.C	"	"	"	da 0,10	Steel Shot
****	BR282.IC	"	"	"	da 0,25	Steel Shot
***	BR282.M	"	"	"	da 0,33	Steel Shot
**	BR282.IM	"	"	"	da 0,50	Steel Shot
*	BR282.F	"	"	"	da 0,63	Steel Shot

**CAL.36 - RIZZINI**

SK	BR362.SK	EXTENDED	62	mm	da -0,30	Steel Shot
*****	BR362.C	"	"	"	da 0,10	Steel Shot
****	BR362.IC	"	"	"	da 0,20	Steel Shot
***	BR362.M	"	"	"	da 0,30	Steel Shot
**	BR362.IM	"	"	"	da 0,45	Steel Shot
*	BR362.F	"	"	"	da 0,65	Steel Shot

**CAL.36 - MOBILCHOKE - BERETTA**

SK	MC362.SK	EXTENDED	62	mm	da -0,30	Steel Shot
*****	MC362.C	"	"	"	da 0,10	Steel Shot
****	MC362.IC	"	"	"	da 0,20	Steel Shot
***	MC362.M	"	"	"	da 0,30	Steel Shot
**	MC362.IM	"	"	"	da 0,45	Steel Shot
*	MC362.F	"	"	"	da 0,65	Steel Shot

**ACCESSORI - ACCESSORIES****GR10****GRASSO AL SILICONE - 10 gr**



**SR 35/45
REGOLATORE NASELLO**

**DIST-SR
SET DISTANZIALI REGOLATORE**



**BOX.5.72
4 STROZZATORI mm 71 max**



**BOX.5.95
5 STROZZATORI mm 95 max**



**BOX.5.100
5 STROZZATORI mm 100 max**



**BOX.8.100
BOX 8 STROZZATORI mm 100 max**